

VERTIFLO

The Vertical Pump Specialists

PUMPS FOR INDUSTRY


CONTENTS:

Introduction & User List
Product Overview
Vertical Process Pumps Series 600
Vertical Sewage Pumps Series 700
Vertical Sump Pumps Series 800
Vertical Vortex Pumps Series 900
Vertical Cantilever Pumps Series 1100 and 1200
Horizontal End Suction Pumps-Centrifugal Series 1300 and 1400
Horizontal End Suction Pumps-Vortex Series 1500 and 1600
Horizontal Self-priming Pumps- Centrifugal Series 2100
Engineering Sample Specifications

VERTIFLO PUMP COMPANY Performance Curves


Curve PV-1525

Series 600
 Size 3 X 2 1/2 X 7
 RPM 1750
 Max Sphere 1



Curve RV-1525

Series 600
 Size 3 X 2 1/2 X 7
 RPM 1150
 Max Sphere 1




600

Performance at Casing Discharge Flange
 Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____
 PROJECT _____
 ENGINEER _____
 CONTRACTOR _____
 CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____


VERTIFLO PUMP COMPANY Performance Curves

Curve AS-1610



Series 600
 Size 1 1/2 X 1 X 8
 RPM 1750
 Max Sphere 1/4

Curve BS-1610



Series 600
 Size 1 1/2 X 1 X 8
 RPM 1150
 Max Sphere 1/4

Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____


CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve AS-1612

Series 600
 Size 1 1/2 X 1 1/4 X 8
 RPM 1750
 Max Sphere 5/16



Curve BS-1612

Series 600
 Size 1 1/2 X 1 1/4 X 8
 RPM 1150
 Max Sphere 5/16



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____

CONTRACTOR _____


CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

600

VERTIFLO PUMP COMPANY Performance Curves


Curve BS-1615

Series 600
 Size 2 X 1 1/2 X 8
 RPM 1750
 Max Sphere 7/16



Curve CS-1615

Series 600
 Size 2 X 1 1/2 X 8
 RPM 1150
 Max Sphere 7/16



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____


ENGINEER _____

CONTRACTOR _____


CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves

Curve CS-1620



Curve DS-1620



600

Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____


CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve CS-1630

Series 600
 Size 4 X 3 X 8
 RPM 1750
 Max Sphere 1 3/16



Curve DS-1630

Series 600
 Size 4 X 3 X 8
 RPM 1150
 Max Sphere 1 3/16



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____


CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve ES-1640

Series 600
 Size 5 X 4 X 8
 RPM 1750
 Max Sphere 15/16



Curve DS-1640

Series 600
 Size 5 X 4 X 8
 RPM 1150
 Max Sphere 15/16



600


Performance at Casing Discharge Flange
 Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____
 PROJECT _____
 ENGINEER _____
 CONTRACTOR _____
 CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve SM-1915

Series 600
 Size 2 X 1 1/2 X 10
 RPM 1750
 Max Sphere 7/16



Curve TM-1915

Series 600
 Size 2 X 1 1/2 X 10
 RPM 1150
 Max Sphere 7/16



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____


CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve JM-1720

Series 600
 Size 3 X 2 X 10
 RPM 1750
 Max Sphere 11/16



Curve KM-1720

Series 600
 Size 3 X 2 X 10
 RPM 1150
 Max Sphere 11/16



600

Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____


ENGINEER _____

CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____


VERTIFLO PUMP COMPANY Performance Curves

Curve RM-1730



Series 600
 Size 4 X 3 X 10
 RPM 1750
 Max Sphere 1 3/16

Curve SM-1730



Series 600
 Size 4 X 3 X 10
 RPM 1150
 Max Sphere 1 3/16

Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____


ENGINEER _____

CONTRACTOR _____


CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves

Curve TM-1740



Curve UM-1740



600

Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____


ENGINEER _____

CONTRACTOR _____


CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves

Curve UM-1750



Curve VM-1750



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____


CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve SM-1750

Series 600
 Size 6 X 5 X 10A
 RPM 1750
 Max Sphere 1 1/2



Curve SM-1850

Series 600
 Size 6 X 5 X 10A
 RPM 1150
 Max Sphere 1 1/2



600


Performance at Casing Discharge Flange
 Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____
 PROJECT _____
 ENGINEER _____
 CONTRACTOR _____
 CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve TM-1760

Series 600
 Size 6 X 6 X 10
 RPM 1750
 Max Sphere 1 1/8



Curve TM-1860

Series 600
 Size 6 X 6 X 10
 RPM 1150
 Max Sphere 1 1/8



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____


ENGINEER _____

CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____


VERTIFLO PUMP COMPANY Performance Curves

Curve LM-1760



Series 600
 Size 6 X 6 X 10A
 RPM 1750
 Max Sphere 1 9/16

Curve LM-1860



Series 600
 Size 6 X 6 X 10A
 RPM 1150
 Max Sphere 1 9/16

600

Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____


CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve KL-1915

Series 600
 Size 2 X 1 1/2 X 12
 RPM 1750
 Max Sphere 7/16



Curve LL-1915

Series 600
 Size 2 X 1 1/2 X 12
 RPM 1150
 Max Sphere 7/16



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____


ENGINEER _____

CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____


VERTIFLO PUMP COMPANY Performance Curves

Curve KL-1916



Series 600
 Size 3 X 2 X 12
 RPM 1750
 Max Sphere 3/4

Curve LL-1916



Series 600
 Size 3 X 2 X 12
 RPM 1150
 Max Sphere 3/4

600

Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____


ENGINEER _____

CONTRACTOR _____


CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves

Curve KL-1917



Curve LL-1917



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____


ENGINEER _____

CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____


VERTIFLO PUMP COMPANY Performance Curves

Curve 64124



Series 600
 Size 6 X 4 X 12
 RPM 1750
 Max Sphere 1 1/2

Curve 64126



Series 600
 Size 6 X 4 X 12
 RPM 1150
 Max Sphere 1 1/2

600

Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____


CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve 6412A4

Series 600
 Size 6 X 4 X 12A
 RPM 1750
 Max Sphere 1 1/8



Curve 6412A6

Series 600
 Size 6 X 4 X 12A
 RPM 1150
 Max Sphere 1 1/8



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____


CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

VERTIFLO PUMP COMPANY Performance Curves


Curve 66124

Series 600
 Size 6 X 6 X 12
 RPM 1750
 Max Sphere 1 1/2



Curve 66126

Series 600
 Size 6 X 6 X 12
 RPM 1150
 Max Sphere 1 1/2



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____

CONTRACTOR _____


CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____

600

VERTIFLO PUMP COMPANY Performance Curves


Curve 88124

Series 600
 Size 8 X 8 X 12
 RPM 1750
 Max Sphere 1 1/2



Curve 88126

Series 600
 Size 8 X 8 X 12
 RPM 1150
 Max Sphere 1 1/2



Performance at Casing Discharge Flange

Curves Show Performance with Liquid Having Specific Gravity 1.0 Viscosity • 30 SSU

CUSTOMER _____ CUSTOMER NO. _____

PROJECT _____

ENGINEER _____

CONTRACTOR _____

CONDITIONS: _____ GPM _____ TDH _____ HP _____ EFF% _____ IMP. DIA _____