

# ULTRACHEM<sup>®</sup> SERIES CURVE BOOK

CATALOG ID #FT01-835D, Rev. 16



**FINISH THOMPSON INC.**

# TABLE OF CONTENTS

<b>Model UC1516</b>	
3500 rpm, 60 Hz, 1-1/2" x 1"	4
1750 rpm, 60 Hz, 1-1/2" x 1"	5
2900 rpm, 50 Hz, 1-1/2" x 1"	6
1450 rpm, 50 Hz, 1-1/2" x 1"	7
<b>Model UC1516L</b>	
3500 rpm, 60 Hz, 1-1/2" x 1"	8
1750 rpm, 60 Hz, 1-1/2" x 1"	9
2900 rpm, 50 Hz, 1-1/2" x 1"	10
1450 rpm, 50 Hz, 1-1/2" x 1"	11
<b>Model UC1518</b>	
3500 rpm, 60 Hz, 1-1/2" x 1"	12
1750 rpm, 60 Hz, 1-1/2" x 1"	13
2900 rpm, 50 Hz, 1-1/2" x 1"	14
1450 rpm, 50 Hz, 1-1/2" x 1"	15
<b>Model UC1518L</b>	
3500 rpm, 60 Hz, 1-1/2" x 1"	16
1750 rpm, 60 Hz, 1-1/2" x 1"	17
2900 rpm, 50 Hz, 1-1/2" x 1"	18
1450 rpm, 50 Hz, 1-1/2" x 1"	19
<b>Model UC2110</b>	
3500 rpm, 60 Hz, 2" x 1"	20
1750 rpm, 60 Hz, 2" x 1"	21
2900 rpm, 50 Hz, 2" x 1"	22
1450 rpm, 50 Hz, 2" x 1"	23
<b>Model UC2110L</b>	
3500 rpm, 60 Hz, 2" x 1"	24
1750 rpm, 60 Hz, 2" x 1"	25
2900 rpm, 50 Hz, 2" x 1"	26
1450 rpm, 50 Hz, 2" x 1"	27
<b>Model UC3110</b>	
3500 rpm, 60 Hz, 3" x 1"	28
1750 rpm, 60 Hz, 3" x 1"	29
2900 rpm, 50 Hz, 3" x 1"	30
1450 rpm, 50 Hz, 3" x 1"	31
<b>Model UC3156</b>	
3500 rpm, 60 Hz, 3" x 1.5"	32
1750 rpm, 60 Hz, 3" x 1.5"	33
2900 rpm, 50 Hz, 3" x 1.5"	34
1450 rpm, 50 Hz, 3" x 1.5"	35
<b>Model UC326/326H</b>	
3500 rpm, 60 Hz, 3" x 2"	36
1750 rpm, 60 Hz, 3" x 2"	37
2900 rpm, 50 Hz, 3" x 2"	38
1450 rpm, 50 Hz, 3" x 2"	39

<b>Model UC328</b>	
3500 rpm, 60 Hz, 3" x 2"	40
1750 rpm, 60 Hz, 3" x 2"	41
2900 rpm, 50 Hz, 3" x 2"	42
1450 rpm, 50 Hz, 3" x 2"	43
<b>Model UC3158</b>	
3500 rpm, 60 Hz, 3" x 1-1/2"	44
1750 rpm, 60 Hz, 3" x 1-1/2"	45
2900 rpm, 50 Hz, 3" x 1-1/2"	46
1450 rpm, 50 Hz, 3" x 1-1/2"	47
<b>Model UC3210</b>	
3500 rpm, 60 Hz, 3" x 2"	48
1750 rpm, 60 Hz, 3" x 2"	49
2900 rpm, 50 Hz, 3" x 2"	50
1450 rpm, 50 Hz, 3" x 2"	51
<b>Model UC436</b>	
3500 rpm, 60 Hz, 4" x 3"	52
1750 rpm, 60 Hz, 4" x 3"	53
2900 rpm, 50 Hz, 4" x 3"	54
1450 rpm, 50 Hz, 4" x 3"	55
<b>Model UC436L</b>	
3500 rpm, 60 Hz, 4" x 3"	56
1750 rpm, 60 Hz, 4" x 3"	57
2900 rpm, 50 Hz, 4" x 3"	58
1450 rpm, 50 Hz, 4" x 3"	59
<b>Model UC438</b>	
3500 rpm, 60 Hz, 4" x 3"	60
1750 rpm, 60 Hz, 4" x 3"	61
2900 rpm, 50 Hz, 4" x 3"	62
1450 rpm, 50 Hz, 4" x 3"	63
<b>Model UC4310H</b>	
1750 rpm, 60 Hz, 4" x 3"	64
1450 rpm, 50 Hz, 4" x 3"	65
<b>Model UC6410</b>	
1750 rpm, 60 Hz, 6" x 4"	65
1450 rpm, 50 Hz, 6" x 4"	66

**Headquarters Information:**

Finish Thompson Inc.  
921 Greengarden Road  
Erie, PA 16501 USA  
PH 814-455-4478  
FAX 814-455-8518  
EMAIL [fti@finishthompson.com](mailto:fti@finishthompson.com)


**Europe Center Information:**

Otto-Hahn-Strasse 16  
Maintal, D-63477 DEU  
P: +49 (0)6181-90878-0  
F: +49 (0)6181-90878-18  
EMAIL [europescenter@finishthompson.com](mailto:europescenter@finishthompson.com)



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1516**  
**3500 rpm, 60 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1516**  
**1750 rpm, 60 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1516**  
**2900 rpm, 50 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1516**  
**1450 rpm, 50 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1516L**  
**3500 rpm, 60 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



**UC SERIES  
STANDARD HORIZONTAL  
PERFORMANCE CURVE**

**MODEL: UC1516L**  
**1750 rpm, 60 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1516L**  
**2900 rpm, 50 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1516L**  
**1450 rpm, 50 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1518**  
**3500 rpm, 60 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1518**  
**1750 rpm, 60 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1518**  
**2900 rpm, 50 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1518**  
**1450 rpm, 50 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

MODEL: UC1518L  
3500 rpm, 60 Hz  
Suction: 1.5"  
Discharge: 1"  
S.G. 1.0




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



**UC SERIES  
STANDARD HORIZONTAL  
PERFORMANCE CURVE**

**MODEL: UC1518L**  
**1750 rpm, 60 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1518L**  
**2900 rpm, 50 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC1518L**  
**1450 rpm, 50 Hz**  
**Suction: 1.5"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



**UC SERIES  
STANDARD HORIZONTAL  
PERFORMANCE CURVE**

**MODEL: UC2110**  
**3500 rpm, 60 Hz**  
**Suction: 2"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



**UC SERIES  
STANDARD HORIZONTAL  
PERFORMANCE CURVE**

**MODEL: UC2110**  
**1750 rpm, 60 Hz**  
**Suction: 2"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



**UC SERIES  
STANDARD HORIZONTAL  
PERFORMANCE CURVE**

**MODEL: UC2110**  
**2900 rpm, 50 Hz**  
**Suction: 2"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC2110**  
**1450 rpm, 50 Hz**  
**Suction: 2"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



**UC SERIES  
STANDARD HORIZONTAL  
PERFORMANCE CURVE**

**MODEL: UC2110L**  
**3500 rpm, 60 Hz**  
**Suction: 2"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



**UC SERIES  
STANDARD HORIZONTAL  
PERFORMANCE CURVE**

**MODEL: UC2110L**  
**1750 rpm, 60 Hz**  
**Suction: 2"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC2110L**  
**2900 rpm, 50 Hz**  
**Suction: 2"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC2110L**  
**1450 rpm, 50 Hz**  
**Suction: 2"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3110**  
**3500 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3110**  
**1750 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3110**  
**2900 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3110**  
**1450 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 1"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3156**  
**3500 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 1.5"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3156**  
**1750 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 1.5"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3156**  
**2900 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 1.5"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3156**  
**1450 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 1.5"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC326/326H**  
**3500 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC326/326H**  
**1750 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC326/326H**  
**2900 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC326/326H**  
**1450 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC328**  
**3500 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC328**  
**1750 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC328**  
**2900 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC328**  
**1450 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3158**  
**3500 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 1.5"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3158**  
**1750 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 1.5"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3158**  
**2900 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 1.5"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3158**  
**1450 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 1.5"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3210**  
**3500 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3210**  
**1750 rpm, 60 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3210**  
**2900 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC3210**  
**1450 rpm, 50 Hz**  
**Suction: 3"**  
**Discharge: 2"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC436**  
**3500 rpm, 60 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



**UC SERIES  
STANDARD HORIZONTAL  
PERFORMANCE CURVE**

**MODEL: UC436**  
**1750 rpm, 60 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC436**  
**2900 rpm, 50 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC436**  
**1450 rpm, 50 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC436L**  
**3500 rpm, 60 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC436L**  
**1750 rpm, 60 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC436L**  
**2900 rpm, 60 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC436L**  
**1450 rpm, 50 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC438**  
**3500 rpm, 60 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC438**  
**1750 rpm, 60 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC438**  
**2900 rpm, 50 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC438**  
**1450 rpm, 50 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC4310H**  
**1750 rpm, 60 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC4310H**  
**1450 rpm, 50 Hz**  
**Suction: 4"**  
**Discharge: 3"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC6410**  
**1750 rpm, 60 Hz**  
**Suction: 6"**  
**Discharge: 4"**  
**S.G. 1.0**




Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.



# UC SERIES STANDARD HORIZONTAL PERFORMANCE CURVE

**MODEL: UC6410**  
**1450 rpm, 50 Hz**  
**Suction: 6"**  
**Discharge: 4"**  
**S.G. 1.0**



Impeller trims are available in 1/8" diameter increments (ex: 4.13", 6.13") between all curves.